

# **Accessibility and independence hygienic accessories for public and commercial places**

**.by KON international**





Germany TÜVRheinland ISO9001:2015 Quality Management System.  
Germany TÜVRheinland ISO14001:2015 Environment Management System.  
Germany TÜVRheinland OHSAS18001:2007 Occupational Health & Safety Management System.

德国莱茵TÜV认证ISO9001:2015质量管理体系

德国莱茵TÜV认证ISO14001:2015环境管理体系

德国莱茵TÜV认证OHSAS18001:2007职业健康安全管理体系

# 不锈钢手纸柜系列

STAINLESS STEEL PAPER TOWEL DISPENSER

---



## 不锈钢防指纹处理

STAINLESS STEEL ANTI-FINGERPRINT TREATMENT

表面不锈钢防指纹工艺处理，能有效防止指纹附在表面，清洁也变得更容易，湿布一抹，即可变回靓丽外型。有效防止材料在特殊环境下的生锈问题。

*Surface stainless steel anti-fingerprint process, can effectively prevent fingerprints attached to the surface, cleaning has become more easy, a touch of damp cloth, you can change back to the beautiful appearance. Effectively prevent the material rust in special environment.*





柯井 KON 不锈钢手纸柜 / 箱使用 304 磨砂不锈钢材料，全点焊连接，坚固耐用；入墙嵌装，节省空间；挂墙明装，美观豪华；配备方便实用的安全锁。

*KON stainless steel hand-cupboard / box using 304 matte stainless steel, all-spot connection, durable; embedded into the wall, saving space; wall mounted, beautiful luxury; equipped with convenient and practical security lock.*



## CH1001 0106


### Stainless steel multipurpose hand dryer unit

Main material: Anti-fingerprint 304 Stainless Steel  
 Finish: Satin finished  
 Built in model  
 Upper stratum: Paper towel dispenser  
 Middle level: Hand dryer  
 Voltage: 220V~50Hz  
 Rated power: 2500W  
 Current: 11.3A  
 Water splash proof: IPX1  
 Blowing volume: 270m<sup>3</sup>/h  
 Air speed: 30m/s  
 Lower stratum: Litter bin

### 不锈钢组合干手柜

主要材质: 防指纹 304 不锈钢  
 表面处理: 砂光  
 安装方式: 入墙暗装  
 上层: 纸巾箱  
 中层: 干手器  
 额定电压: 200V~50Hz  
 额定功率: 2500W  
 额定电流: 11.3A  
 防水保护: IPX1  
 风量: 270m<sup>3</sup>/h  
 风速: 30m/s  
 下层: 可移动清洁箱

专利保护



## CH1001 0101


### Paper towel dispenser

Main material: Anti-fingerprint 304 Stainless Steel  
 Finish: Satin finished  
 Built in model  
 Upper stratum: Paper towel dispenser  
 Lower stratum: Litter bin

### 不锈钢组合干手柜

主要材质: 防指纹 304 不锈钢  
 表面处理: 砂光  
 安装方式: 入墙暗装  
 上层: 纸巾箱  
 下层: 可移动清洁箱

专利保护





Inspired by aesthetics and functionality, engineers selected the appropriate model and materials to develop a comfortable, simple, and modernist-style shower pillar. Application of the latest and up-to-date production technique enabled Kon to produce a product of the best quality at the most competitive price.

设计师的灵感运用不同造型与材质，创造出一个简洁舒适、时尚品位的产品，再运用高层次的生产技术，使得质量及价格得到了最好的状态。



## CH1001 0096

### Paper towel dispenser

Main material: Anti-fingerprint 304 Stainless Steel

Finish: Satin finished

Built in model

Upper stratum: Paper towel dispenser

Lower stratum: Litter bin

### 不锈钢组合干手柜

主要材质: 防指纹 304 不锈钢


表面处理: 砂光

安装方式: 入墙暗装

上层: 纸巾箱

下层: 可移动清洁箱

专利保护



## CH1001 0402

### Paper towel dispenser

Main material: Anti-fingerprint 304 Stainless Steel

Finish: Satin finished

Built in model

Upper stratum: Paper towel dispenser

Lower stratum: Litter bin

### 不锈钢组合干手柜

主要材质: 防指纹 304 不锈钢


表面处理: 砂光

安装方式: 入墙暗装

上层: 纸巾箱

下层: 可移动清洁箱

专利保护





### CH1001 0086

#### Paper towel dispenser

Main material: Anti-fingerprint 304 Stainless Steel

Finish: satin finished

Built in model

Upper stratum: paper towel dispenser

Lower stratum: litter bin

#### 不锈钢组合干手柜

主要材质: 防指纹 304 不锈钢


表面处理: 砂光

安装方式: 入墙暗装

上层: 纸巾箱

下层: 可移动清洁箱

专利保护



### CH1001 4086

#### Paper towel dispenser

Main material: Anti-fingerprint 304 Stainless Steel

Finish: satin finished

Built in model


#### 不锈钢手纸箱

主要材质: 防指纹 304 不锈钢

表面处理: 砂光

安装方式: 入墙暗装

专利保护



### CH1001 0075

#### Cabinet behind mirror

Main material: 304 stainless steel

Finish: satin finished

Installation behind mirror


#### 不锈钢镜后手纸箱

主要材质: 304 不锈钢

表面处理: 砂光

安装方式: 镜后安装

专利保护



### CH1001 0076

#### Paper towel dispenser

Main material: 304 stainless steel

Finish: satin finished/polish finished

Wall mounted model


#### 不锈钢手纸箱

主要材质: 304 不锈钢

表面处理: 砂光/镜光

安装方式: 挂墙明装

专利保护





### CH1001 0457


#### Paper towel dispenser

Main material:Anti-fingerprint 304 Stainless Steel  
Finish:satin finished  
Wall mounted model

#### 不锈钢手纸箱

主要材质: 防指纹 304 不锈钢  
表面处理: 砂光  
安装方式: 挂墙明装

专利保护



### CH1001 0126


#### Paper towel dispenser

Main material:304 stainless steel  
Finish:satin finished  
Wall mounted model

#### 不锈钢手纸盒

主要材质: 304 不锈钢  
表面处理: 砂光  
安装方式: 挂墙明装

专利保护




### 1001 0412

#### Double roll holder with shelf

Main material:304 stainless steel+ABS  
Wall mounted model

#### 组合双纸架

主要材质: 304 不锈钢 +ABS  
安装方式: 挂墙明装




### 1001 0466

#### Paper holder with cover

Main material:304 stainless steel  
Finish:mirror polishing  
Wall mounted model

#### 不锈钢转筒式手纸盒

主要材质: 304 不锈钢  
表面处理: 镜光  
安装方式: 挂墙明装



# 干手器系列

HAND DRYER

---



## 喷射式干手器

JET HAND DRYER

当洗手后，将双手伸在自动干手器的出风口下，自动干手器会自动送出舒适的暖风，迅速使您的双手去湿变干，而当您把手一离开自动干手器风口时它又自动停风关机。可达到不要毛巾擦干手上水分和防止疾病交叉感染的要求。自动感应高速干手机对食品生产企业是先进和理想的卫生设备，能够带来清洁、卫生、安全、无污染的干手效果。

*When washing, the hands in the air outlet of the automatic hand dryer, automatic hand dryer will automatically blow comfortable warm wind, quickly make your hands wet to dry, and when you move away your hands it automatically stops the wind off. Without touching the towel and prevent cross infection of disease requirements. Automatic high speed dryer is advanced and ideal equipment for health food production enterprises, to bring clean, sanitary, safe, pollution-free hand drying effect.*



喷射式两面出风，工作时并带有照明灯。  
Jet both sides of the wind, work with a light display.



活性炭及抗菌棉滤网装置  
Activated carbon and antibacterial cotton filter device



独有的接储水箱设计  
Unique water tank design



高速无刷直流电机  
High speed brushless DC motor





2017年金砖国家领导人峰会在厦门召开，会议的主要场所——厦门国际会议中心，尊选  
柯井 KON 喷射式干手器

2017 BRICS leaders Summit held in Xiamen, the main venue for the meeting - Xiamen  
International Convention Center, Respect the election KON Jet hand dryer




## 2102 1110 Jet hand dryer 喷射式干手器

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 1400W  
 额定电流 (Current): 8A  
 防护等级 (Water splash proof): IP22  
 风量 (Blowing volume): 200m<sup>3</sup>/h  
 风速 (Air speed): 110m/s



采用自主研发超高速无刷直流电机产生 110m/s 喷射气流, 5-10 秒钟内将手上的水滴迅速吹干, 干手速度快、省时;  
 功效高, 功率只有普通干手器的 1/3 却能做到同样的干手效果 微电脑控制, 红外线感应, LED 灯工作显示, 人性化工作, 冷热风设置可随意选择;  
 带有活性炭及抗菌棉速网装置, 有效的起到杀菌作用;  
 高效、节能、卫生、环保、经济耐用, 特别适合食品、医疗行业、人流量大的宾馆、写字楼、百货商店、娱乐场所等场合使用。

Using independent research and development of ultra-high-speed brushless DC motor to produce 110m / s jet stream, 5-10 seconds the hands of the rapid drying of water droplets, dry hands fast, time-saving;  
 High efficiency, the power is only one-third of the ordinary hand dryer can do the same hand effect; microcomputer control, infrared sensor, LED display and humanization, hot and cold air settings are free to choose;  
 With activated carbon and anti-cotton screen device, effectively play a bactericidal effect;  
 Efficient, energy saving, health, environmental protection, economic and durable, especially for food, medical industry, large flow of hotels, office buildings, department stores, entertainment venues and other occasions.




## 2102 1201 Hand dryer 干手器

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 800W  
 额定电流 (Current): 3.6A  
 防护等级 (Water splash proof): IPX2  
 风量 (Blowing volume): 85m<sup>3</sup>/h  
 风速 (Air speed): 75m/s



特制专用无刷电机, 整机低功率、高效率, 圆形风嘴, 风力集中, 吹干快速。  
 微电脑智能控制芯片, 结合先进的红外线接收数字处理技术, 控制精确、可靠。  
 实时温度监测, 可根据不同室温变化, 提供多段发热功率变化, 更显节能性。  
 低噪音、高风速, 瞬间将手上的水滴吹走, 让吹手也是一种享受。  
 具备升温、电流、时间多重保护, 避免意外的发生。

采用封闭式流线型不锈钢外壳结构, 抗外力撞击和防滴水保护能力得以大大提升。  
 Special purpose brushless motor, the whole machine low power, high efficiency, round nozzle, wind concentrated, dry quickly.  
 Microcomputer intelligent control chip, combined with advanced infrared receiver digital processing technology, accurate and reliable control.  
 Real-time temperature monitoring, according to different room temperature changes, providing multi-stage heating power changes, even more energy-saving.  
 Low noise, high wind speed, the moment the hands of the water blown away, so that the blow is also a pleasure.  
 With temperature, current, time multiple protection, to avoid accidents.  
 The use of closed streamlined stainless steel shell structure, anti-external impact and anti-drip protection capabilities have been greatly enhanced.




## 2102 1401 Hand dryer 干手器

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 900W  
 额定电流 (Current): 4.1A  
 防护等级 (Water splash proof): IP22  
 风量 (Blowing volume): 140m<sup>3</sup>/h  
 风速 (Air speed): 64m/s



特制高速专用电机，整机低功率、高效率，圆形风嘴，热风集中，吹干快速，功率不到普通干手器的一半。干手速度却比普通干手器快一倍以上；  
 具备温升、过流、时间多重保护，避免意外的发生；  
 微电脑智能控制芯片，结合最先进红外线接收数字处理技术，控制精确、可靠；  
 采用封闭式流线型铝合金外壳结构，抗外力撞击和防滴水保护能力得以大大提升。  
 可订制白色喷粉外壳。

Special high-speed dedicated motor, the whole low-power, high efficiency, round nozzle, hot air concentration, drying fast, power less than half of the ordinary hand dryer. Dry hands faster than ordinary hand dryer more than doubled;  
 With temperature, over-current, time multiple protection, to avoid accidents;  
 Microcomputer intelligent control chip, combined with the most advanced infrared reception digital processing technology, accurate and reliable control;  
 The use of closed streamlined aluminum shell structure, anti-external impact and anti-drip protection capabilities can be greatly enhanced.  
 Can be customized white powder coating shell.




## 2102 1402 Hand dryer 干手器

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 1300W  
 额定电流 (Current): 5.9A  
 防护等级 (Water splash proof): IPX1  
 风量 (Blowing volume): 160m<sup>3</sup>/h  
 风速 (Air speed): 17m/s



数码电路控制，红外线感应，抗干扰能力强；超薄机身设计，风量大、风速高，比普通干手器烘干节约一半时间；  
 进口特殊金属材料面壳，经特殊工艺处理表面，更美观耐用。底座采用高级铝合金材料制造，坚固、耐高温、防火性能好。  
 可订制白色喷粉外壳。

Digital circuit control, infrared sensor, anti-interference ability; Slim body design, large air volume, high wind speed, half dry than ordinary hand-held Save time.  
 Imports of special metal shell material, the surface by a special process, more beautiful and durable. Base with advanced aluminum alloy material, strong, high temperature, good fire performance.  
 Can be customized white powder coating shell.



# 皂液器系列

SOAP DISPENSER

---





## 皂液器的功效与作用

SOAP DISPENSER EFFICACY AND EFFECT

主要就是在皂液盒里注入皂液，皂液器可以用于放沐浴露，洗发水，清洁剂，给人取用方便。

功能方面，皂液器又可分为有锁和无锁两种功能。酒店客房皂液器选择无锁比较合适。酒店卫生间可选择带锁的，以防止皂液的浪费。

皂液器主要用于星级酒店、饭店、宾馆、公共场所、医院、机场、家居、制药、食品、化工、电子、高端写字楼、大型商场、大型娱乐场所、大型宴会厅、温泉度假村、幼儿园、学校、银行、机场候机大厅、家庭等使用，是您追求高贵、典雅生活的理想选择！

*Mainly inject the soap box into the soap, soap dispenser can be used to put the shower gel, shampoo, detergent, convient to use.*

*Function, soap dispenser can be divided into a lock and lock-free two functions. Hotel room soap dispenser choose no lock more appropriate. Hotel bathroom can choose to lock to prevent the waste soap.*

*Dispenser is mainly used in star hotels, restaurants, hotels, public places, hospitals, airports, home, pharmaceutical, food, chemical, electronics, high-end office buildings, shopping malls, entertainment venues, large ballroom, spa resorts, Kindergartens, schools, Banks, airport lounges, families and other use, is your pursuit of noble, elegant life ideal!*








**2105 1208**  
**Auto soap dispenser**  
**自动皂液器**

额定电压 (Voltage): DC4X1.5V(LR6)  
容量 (Capacity): 1200mL  
每次滴液 (Drop): 1mL


全进口不锈钢机身，坚固耐用；  
采用数码电路控制，抗干扰能力强；  
4x1.5VLR6 电池供电，通用、低能耗，确保长时间使用；  
红外线自动感应，每感应一次出液一次，防止误动作；  
带有防盗锁设置，有效地防止人为的杂物进入瓶中和机体丢失  
适合各种皂液使用如：洗手液、洗涤液等。  
All imported stainless steel body, durable  
Using digital circuit control, anti-interference ability;  
4x1.5VLR6 battery-powered, universal, low power consumption, to ensure long-term use;  
Infrared auto-sensing, once each time a solution to prevent misoperation;  
With anti-theft lock settings, effectively prevent human debris into the bottle and the body is lost  
Suitable for all kinds of soap such as: hand sanitizer, washing liquid and so on.



**2105 1248**  
**Touch soap dispenser**  
**手动皂液器**

容量 (Capacity): 1800mL  
每次滴液 (Drop): 1mL


全进口不锈钢机身，坚固耐用；  
带有防盗锁设置，有效地防止人为的杂物进入瓶中和机体丢失  
适合各种皂液使用如：洗手液、洗涤液等。  
All imported stainless steel body, durable  
With anti-theft lock settings, effectively prevent human debris into the bottle and the body is lost  
Suitable for all kinds of soap such as: hand sanitizer, washing liquid and so on.



**2105 1258**  
**Touch soap dispenser**  
**手动皂液器**

容量 (Capacity): 820mL  
每次滴液 (Drop): 1mL

全进口不锈钢机身，坚固耐用；  
带有防盗锁设置，有效地防止人为的杂物进入瓶中和机体丢失  
适合各种皂液使用如：洗手液、洗涤液等。  
All imported stainless steel body, durable  
With anti-theft lock settings, effectively prevent human debris into the bottle and the body is lost  
Suitable for all kinds of soap such as: hand sanitizer, washing liquid and so on.






**2105 1368( 出皂液型 AC)**  
**2105 1268( 出皂液型 DC)**  
**2106 1368( 出泡沫型 AC)**  
**2106 1268( 出泡沫型 DC)**  
**Auto soap dispenser**  
**自动皂液器**

额定电压 (Voltage): AC220V~50Hz  
 DC4X1.5V(LR6)  
 容量 (Capability): 2000mL  
 每次滴液 (Drop): 1mL


全进口不锈钢机身，坚固耐用；  
 数码电路控制，红外线感应自动出液；  
 出液角度可调，从 0 度（垂直）~ 30 度 4 级调节 (2105 1368/2105 1268)  
 出液量无级调节，从 0.2 ~ 1.5mL 任意调节 (2106 1368/2106 1268)  
 超大容量容器，装载皂液最大可达 2000mL；  
 All imported stainless steel body, durable  
 Digital circuit control, infrared sensor automatically out of liquid;  
 Liquid angle adjustable from 0 degrees (vertical) ~ 30 degrees 4-level regulation  
 (2105 1368/2105 1268)  
 Stepless adjustment of the amount of fluid, from 0.2 ~ 1.5mL arbitrary regulation  
 (2106 1368/2106 1268)  
 Large capacity containers, loading soap up to 2000mL;



**2105 1338( 出皂液型 AC)**  
**2105 1238( 出皂液型 DC)**  
**2106 1338( 出泡沫型 AC)**  
**2106 1238( 出泡沫型 DC)**  
**Auto soap dispenser**  
**自动皂液器**

额定电压 (Voltage): AC220V~50Hz  
 DC4X1.5V(LR6)  
 容量 (Capability): 2000mL  
 每次滴液 (Drop): 1mL


数码电路控制，红外线感应自动出液；  
 出液角度可调，从 0 度（垂直）~ 30 度 4 级调节 (2105 1338/2105 1238)  
 出液量无级调节，从 0.2 ~ 1.5mL 任意调节 (2106 1338/2106 1238)  
 超大容量容器，装载皂液最大可达 2000mL；  
 Digital circuit control, infrared sensor automatically out of liquid;  
 Liquid angle adjustable from 0 degrees (vertical) ~ 30 degrees 4-level regulation  
 (2105 1338/2105 1238)  
 Stepless adjustment of the amount of fluid, from 0.2 ~ 1.5mL arbitrary regulation  
 (2106 1338/2106 1238)  
 Large capacity containers, loading soap up to 2000mL;



**2105 1328(AC)**  
**2105 1228(DC)**  
**Auto soap dispenser**  
**自动皂液器**

额定电压 (Voltage): AC220V~50Hz  
 DC4X1.5V(LR6)  
 容量 (Capability): 1100mL  
 每次滴液 (Drop): 1mL

采用数码电路控制，红外线感应，抗干扰能力强。  
 伸手自动出液，手不移开，每隔三秒出液一次。连续出液 10 次停止出液。  
 设计独特，适合于各种皂液使用。  
 Digital circuit control, infrared sensing, anti-interference ability.  
 Hand out automatically to the liquid, hands do not move away, every three seconds out of liquid.  
 Continuous liquid 10 times to stop the liquid.  
 Unique design, suitable for all kinds of soap use.






**1003 0065**  
**Touch soap dispenser**  
**手动皂液器**  
 容量 (Capacity): 280mL  
 每次滴液 (Drop): 1mL

设计新颖，独特的外形具有较强的装饰性，适合各种环境装饰配搭；  
 采用特殊的工程塑料制造。适合于各种皂液使用如：沐浴露、洗发水、洗涤剂；  
 带有防盗锁设置，有效地防止人为的杂物堵塞和不必要的损失。  
 Innovative design, unique shape with strong decorative, suitable for a variety of decorative environment matching;  
 Made of special engineering plastics. Suitable for all kinds of soap usage such as: shower gel, shampoo, washing liquid, etc. ;  
 With anti-theft lock settings to effectively prevent clogging of human debris and unnecessary losses.




**1003 0066**  
**Touch soap dispenser**  
**手动皂液器**  
 容量 (Capacity): 280mLX2  
 每次滴液 (Drop): 1mL

设计新颖，独特的外形具有较强的装饰性，适合各种环境装饰配搭；  
 采用特殊的工程塑料制造。适合于各种皂液使用如：沐浴露、洗发水、洗涤剂；  
 带有防盗锁设置，有效地防止人为的杂物堵塞和不必要的损失。  
 Innovative design, unique shape with strong decorative, suitable for a variety of decorative environment matching;  
 Made of special engineering plastics. Suitable for all kinds of soap usage such as: shower gel, shampoo, washing liquid, etc. ;  
 With anti-theft lock settings to effectively prevent clogging of human debris and unnecessary losses.




**1003 0071**  
**Touch soap dispenser**  
**手动皂液器**  
 容量 (Capacity): 400ml  
 每次滴液 (Drop): 1ml

设计新颖，独特的外形具有较强的装饰性，适合各种环境装饰配搭；  
 采用特殊的工程塑料制造。适合于各种皂液使用如：沐浴露、洗发水、洗涤剂；  
 带有防盗锁设置，有效地防止人为的杂物堵塞和不必要的损失。  
 Innovative design, unique shape with strong decorative, suitable for a variety of decorative environment matching;  
 Made of special engineering plastics. Suitable for all kinds of soap usage such as: shower gel, shampoo, washing liquid, etc. ;  
 With anti-theft lock settings to effectively prevent clogging of human debris and unnecessary losses.



**1003 0072**  
**Touch soap dispenser**  
**手动皂液器**  
 容量 (Capacity): 400mLX2  
 每次滴液 (Drop): 1mL

设计新颖，独特的外形具有较强的装饰性，适合各种环境装饰配搭；  
 采用特殊的工程塑料制造。适合于各种皂液使用如：沐浴露、洗发水、洗涤剂；  
 带有防盗锁设置，有效地防止人为的杂物堵塞和不必要的损失。  
 Innovative design, unique shape with strong decorative, suitable for a variety of decorative environment matching;  
 Made of special engineering plastics. Suitable for all kinds of soap usage such as: shower gel, shampoo, washing liquid, etc. ;  
 With anti-theft lock settings to effectively prevent clogging of human debris and unnecessary losses.






**2104 1301**  
**Auto sanitizer dispenser**  
**自动喷雾消毒器**

额定电压 (Voltage): AC220V~50Hz  
容量 (Capability): 2000mL  
每次喷雾 (Drop): 0.5~6mL


全进口不锈钢机身，坚固耐用；  
数码电路控制，红外线感应自动喷雾；  
喷雾量无级调节。从 0.5 ~ 6mL 任意调节，既节约又环保  
喷雾角度可调，从 0 度（垂直）~ 30 度 4 级调节；  
超大容量容器，装载消毒液最大可达 2000mL；  
直流变压器电源供电，源源不断提供强大动力。  
All imported stainless steel body, durable  
Digital circuit control, infrared sensor automatically spray;  
Spray volume stepless adjustment. From 0.5~ 6mL arbitrary regulation, saving and environmental protection  
Spray angle adjustable from 0 degrees (vertical) ~ 30 degrees 4-level regulation;  
Large capacity containers, loading disinfectant up to 2000mL;  
DC transformer power supply, continue to provide a powerful impetus.



**2104 1308(AC)**  
**2104 1208(DC)**  
**Auto sanitizer dispenser**  
**自动喷雾消毒器**

额定电压 (Voltage): AC 220V~50Hz  
DC 4X1.5V  
容量 (Capability): 1100mL  
每次喷雾 (Drop): 1mL


采用数码电路控制，红外线感应，抗干扰能力强。  
伸手自动喷雾。手不移开，每隔三秒喷雾一次，连续喷雾 10 次停止喷雾。  
设计独特，适合于各种消毒液、药水使用。  
Digital circuit control, infrared sensing, anti-interference ability.  
Hand out automatic spray. Hands do not move away, spray once every three seconds, continuous spray 10 times to stop spraying.  
Unique design, suitable for all kinds of disinfectant, syrup use.  
All imported stainless steel body, durable



**2104 1238**  
**Automatic perfume dispenser**  
**自动喷香器**

额定电压 (Voltage): DC2X1.5V(R20)  
香水尺寸 (Perfume size): 155XØ65


采用微电脑 (CPU) 技术控制；  
可根据空间的大小和空气的混浊程度来设定喷雾时间、次数和工作区间  
无需更多的管理，轻松感受清新完美的环境其实就这么简单；  
采用 DC2x1 5V(R20) 电池供电。  
液晶显示喷雾间隔时间、次数和工作区间，5 分钟 - 4 小时可选择喷雾间隔时间，可选择每工作一次，喷香 1-3 次。  
Microcomputer (CPU) technology control:  
According to the size of the space and the degree of turbidity of the air to set the fragrance time, frequency and work area  
No need for more management, easy to feel fresh and perfect environment is actually so simple;  
Powered by DC2x1 5V (R20) battery.  
Liquid crystal display interval time, number of times and work area, 5 minutes - 4 hours to choose fragrance interval. Can choose to work once, fragrant 1-3 times.



**2104 1128**  
**Automatic perfume dispenser**  
**自动喷香器**

额定电压 (Voltage): DC2X1.5V(R20)

采用微电脑 (CPU) 技术控制；  
可根据空间的大小和空气的混浊程度来设定喷雾时间、次数和工作区间  
无需更多的管理，轻松感受清新完美的环境其实就这么简单；  
采用 DC2x1 5V(R20) 电池供电。  
液晶显示时钟及使用设置；可根据实际情况设定喷雾间隔时间 (0 ~ 24 小时)、喷雾间隔 (1 分钟 ~ 4 小时)、喷雾周期 (周一 ~ 周日)、喷雾次数 (1 ~ 3 次)。  
Microcomputer (CPU) technology control:  
According to the size of the space and the degree of turbidity of the air to set the fragrance time, frequency and work area  
No need for more management, easy to feel fresh and perfect environment is actually so simple;  
Powered by DC2x1 5V (R20) battery.  
LCD display clock and the use of settings; can be set according to the actual time interval of incense (0 ~ 24 hours), fragrant interval (1 minute to 4 hours), incense cycle (Monday to Sunday), incense times .



# 干发器系列

HAIR DRYER

---





## 干发器的作用

THE ROLE OF HAIR DRYER

干发器在现代是先进和理想的卫生清洁器具和设备。它主要运用于宾馆、餐馆、科研机构、医院、公共娱乐场所和每个家庭的卫生间等。当洗发后，将发伸在自动干发机的出风口下，自动干发器会自动送出舒适的暖风，迅速使您的头发去湿变干。


*In the modern advanced and ideal sanitary ware and equipment. It is mainly used in hotels, restaurants, scientific research institutions, hospitals, public places of entertainment and each family bathroom etc.. When after shampoo, hair extension in the outlet of the mobile phone automatic dry, automatic hair dryer will automatically blow warm and comfortable wind, quickly make your hair wet to dry my hair,*

**2101 1103**  
**Constant temperature hair dryer**  
**恒温干发器**

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 1500W  
 额定电流 (Current): 6.8A  
 防护等级 (Water splash proof): IPX4  
 防触电保护 (Electric-shock safeguard): □  
 风量 (Blowing volume): 87m<sup>3</sup>/h  
 风速 (Air speed): 17m/s



五档温度选择, 随意调节;  
 恒温功能, 出风口温度不受环境温度影响, 保持恒定, 开机温度设定为 60°C;  
 三重限温保险, 18 分钟自动延时控制: 如果器具工作 18 分钟, 则 17 分钟后不吹热风  
 吹 1 分钟冷风, 从而保护送风管;  
 采用日本 '万宝至' 电机;  
 可订制带 110V 和 220V 电压输出的须刨插座功能。  
 Fifth gear temperature options, free adjustment;  
 Constant temperature function, outlet temperature from the ambient temperature, remain  
 constant, the boot temperature is set to 60°C ;  
 Triple temperature limit insurance, 18 minutes automatic delay control: If the appliance work for  
 18 minutes, then 17 minutes after the hot air blowing 1 minute cold wind, thereby protecting the  
 supply duct:  
 Japan 'Mabuchi' motor;  
 Can be customized with 110V and 220V voltage output shaver socket function.




**2101 1113**  
**Hair dryer**  
**干发器**

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 1000W  
 额定电流 (Current): 4.5A  
 防护等级 (Water splash proof): IPX4  
 防触电保护 (Electric-shock safeguard): □  
 风量 (Blowing volume): 87m<sup>3</sup>/h  
 风速 (Air speed): 17m/s



15 分钟电子定时;  
 带功率和风量调节;  
 热源远离出风口, 令使用更感觉舒服;  
 采用日本 '万宝至' 电机;  
 可订制带定制带 110V 和 220V 电压输出的须刨插座功能。  
 15 minutes Electronic timing;  
 With power and air volume adjustment;  
 Heat away from the outlet. Make use feel more comfortable;  
 Japan 'Mabuchi' motor;  
 Can be customized with belt can be customized with 110V and 220V voltage output shaver  
 socket function.




**2101 1128( 有须刨插座 )**  
**2101 1123( 无须刨插座 )**  
**Hair dryer**  
**干发器**

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 700W  
 额定电流 (Current): 3.1A  
 防护等级 (Water splash proof): IPX4  
 防触电保护 (Electric-shock safeguard): □  
 风量 (Blowing volume): 43m<sup>3</sup>/h  
 风速 (Air speed): 14m/s



内装防干扰电路, 防止干扰其它电器;  
 出风口远离热源, 超温自动保护, 热风温度恒定;  
 15 分钟电子定时, 安全节能, 是宾馆、家庭等场所的首选配套设施。  
 2101 1128 有须刨插座及功率、风量调节。  
 2101 1123 无须刨插座, 有功率和风量调节。  
 Built-in anti-interference circuit to prevent interference Other appliances;  
 Air outlet away from heat, over-temperature automatic protection, hot air temperature is constant;  
 15 minutes electronic timing, energy security, hotels, homes and other places of choice for  
 supporting facilities.  
 2101 1128 have shaver socket and power, air volume regulation.  
 2101 1123 No planing socket, with power and air volume adjustment.



## 2101 1133


### Hair dryer

#### 美发器

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 1200W  
 额定电流 (Current): 5.5A  
 防触电保护 (Eelectric-shock safeguard): □  
 风量 (Blowing volume): 81m<sup>3</sup>/h  
 风速 (Air speed): 14m/s



五档温度选择, 随意调节;  
 恒温功能, 出风口温度不受环境温度影响, 保持恒定, 开机温度设定为 60℃;  
 三重限温保险, 18 分钟自动延时控制: 如果器具工作 18 分钟, 则 17 分钟后不吹热风  
 吹 1 分钟冷风, 从而保护送风管;  
 采用日本 '万宝至' 电机;  
 可订制带 110V 和 220V 电压输出的须刨插座功能。  
 Fifth gear temperature options, free adjustment;  
 Constant temperature function, outlet temperature from the ambient temperature, remain  
 constant, the boot temperature is set to 60℃;  
 Triple temperature limit insurance, 18 minutes automatic delay control: If the appliance work for  
 18 minutes, then 17 minutes after the hot air blowing 1 minute cold wind, thereby protecting the  
 supply duct:  
 Japan 'Mabuchi' motor;  
 Can be customized with 110V and 220V voltage output shaver socket function.



## 2101 1138(有须刨插座)

## 2101 1139(无须刨插座)


### Hair dryer

#### 美发器

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 1200W  
 额定电流 (Current): 5.5A  
 防触电保护 (Eelectric-shock safeguard): □  
 风量 (Blowing volume): 88m<sup>3</sup>/h  
 风速 (Air speed): 14m/s



手柄微动电源开关设置, 提起手柄并轻松握按钮通电工作, 松开按钮即断电  
 其使用更安全、方便、节能;  
 高、低两档热风设置, 随意选择;  
 带有安全活门的 110V ~ / 220V ~ 须刨插座。  
 2101 1138 带须刨插座  
 2101 1139 不带须刨插座带装饰灯  
 Joystick fret switch settings, lift the handle and easily hold the button energized work, release the  
 button that is off  
 The use of safer, more convenient, energy-saving;  
 High, low two files hot air settings, free choice;  
 110V ~ / 220V ~ shaver socket with safety valve.  
 2101 1138 with shaver socket  
 RCYI 20-2081 Without shaver socket with decorative light



# 不锈钢面盆

304#SUS BASIN

---





## 304 不锈钢的优点

THE ADVANTAGES OF 304 STAINLESS STEEL

304 不锈钢是一种通用性的不锈钢材料，防锈性能比 200 系列的不锈钢材料要强。耐高温方面也比较好，一般使用温度极限小于 650℃。304 不锈钢具有优良的不锈钢耐腐蚀性能和较好的抗晶间腐蚀性能。对氧化性酸，在实验中得出：浓度 < 65% 的沸腾温度以下的硝酸中，304 不锈钢具有很强的抗腐蚀性。对碱溶液及大部分有机酸和无机酸亦具有良好的耐腐蚀能力。

304 不锈钢的优点：

1. 环保卫生：杜绝了红水、蓝绿水、和隐患水问题，无异味，无有害物质析出保持水质纯净，无铅对人体健康无害。
2. 耐磨损：表面美观清洁光亮长久耐用无刮痕，永不生锈、永不断裂。
3. 耐低温：厨房卫浴不锈钢水管、龙头角阀永不断裂。
4. 热膨胀性能和保温性能极好：不锈钢管具有热胀冷缩缓慢，保温性能好。
5. 权威认证：不锈钢金属元素的析出量比 WHO 和欧洲饮用水法令规定标准值的 5% 还要低


304 stainless steel is a versatile stainless steel material, and the antirust property is stronger than the 200 series of stainless steel. High temperature resistance is also better, the general use of temperature limit is less than 650 degrees. 304 stainless steel has excellent corrosion resistance and better intergranular corrosion resistance. The oxidizing acid, in the experiments: the concentration of more than 65% of boiling temperature following nitrate, 304 stainless steel has high corrosion resistance. It also has good corrosion resistance for alkali solution and most organic acids and inorganic acids.

The advantages of 304 stainless steel:


1. environmental sanitation: eliminate red water, blue-green water and hidden trouble water problems, no odor, no harmful substances precipitation, keep water quality pure, and lead free is harmless to human health.
2. wear resistance: beautiful and clean surface, durable and durable without scratch, never rust and never break.
3. low temperature resistance: the kitchen bath stainless steel pipe, the leading angle valve never break.
4. thermal expansion performance and thermal insulation performance is excellent: stainless steel tube has slow heat expansion and shrinkage, good insulation performance.
5. authority certification: the precipitation of stainless steel metal elements is lower than that of the standard value of WHO and the European drinking water act.




**6300 1100TGB**  
**304#SUS Over-top/Wall-hung**  
**wash basin**  
 不锈钢台上 / 挂墙面盆  
 尺寸 (Size) : 410X410X140mm



**6300 1100RGB**  
**304#SUS Over-top/Wall-hung**  
**wash basin**  
 不锈钢台上 / 挂墙面盆  
 尺寸 (Size) : 410X410X140mm




**6300 1100NMB**  
**304#SUS Over-top/Wall-hung**  
**wash basin**  
 不锈钢台上 / 挂墙面盆  
 尺寸 (Size) : 410X410X140mm






**6300 1300TGB**  
304#SUS Semi-recessed basin  
不锈钢半嵌式面盆

尺寸 (Size) : 510X360X120mm




**6300 1300RGB**  
304#SUS Semi-recessed basin  
不锈钢半嵌式面盆

尺寸 (Size) : 510X360X120mm



**6300 1300NMB**  
304#SUS Semi-recessed basin  
不锈钢半嵌式面盆

尺寸 (Size) : 510X360X120mm



# 多功能浴室镜系列

MULTIFUNCTIONAL BATHROOM MIRROR SERIES

---





## 浴室防雾镜的原理

BATHROOM ANTI-FOG MIRROR PRINCIPLE

平常我们镜子会起雾是因为洗澡时的热水蒸气碰到镜子的表面遇冷放热凝结成小水滴如果镜子表面的温度比较高自然就会减少这种现象了。  
卫生间的镜子主要分为普通镜面和防雾镜面。防雾镜又分为涂层防雾镜和电热防雾镜。前者通过涂层微孔阻止雾层的形成；后者通过电加热使镜面温度升高，雾气快速蒸发，从而形成不了雾层

*Usually our mirrors will be fogging because the hot water vapor in the bath hits the surface of the mirror and condenses into droplets when it cools. If the temperature on the surface of the mirror is too high, it will naturally reduce this phenomenon.*

*Bathroom mirror is divided into ordinary mirror and anti-fog mirror. Anti-fog mirror is divided into coating anti-fog mirror and electric anti-fog mirror. The former through the coating of micropores to prevent the form of fog layer; the latter by electric heating so that the mirror surface humidity, the rapid evaporation of the fog, which can not form a fog layer.*






**3033 0001**  
**Multifunctional bathroom mirror combination**  
**多功能浴室镜**

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 68W  
 材质 (Material): 铝合金 +5mm 环保银镜  
 Aluminum+5 mm green mirror silver


带有 LED 镜前灯, 与镜面形成一体, 美观实用;  
 镜面除雾功能, 轻松除去镜面的水雾 (30 分钟除雾自动关闭设置);  
 室内温度显示, 更直观了解室内温度;  
 镜面轻触控制面板, 人性化设计, 使用方便;  
 采用环保银镜, 高清晰度镜面健康环保;  
 With LED mirror headlights, with the mirror to form one, beautiful and practical;  
 Mirror fogging function, easy to remove the mirror of the water mist (30 minutes defrost automatically shut down settings);  
 Indoor temperature display, more intuitive understanding of the indoor temperature;  
 Mirror touch control panel, user-friendly design, easy to use;  
 Green silver mirror, high-definition mirror health and environmental protection;  
 尺寸可定制 SIZE CAN BE CUSTOMIZED



**3033 0011**  
**Multifunctional bathroom mirror combination**  
**多功能浴室镜**

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 29W  
 材质 (Material): 铝合金 +5mm 环保银镜  
 Aluminum+5 mm green mirror silver


带有 LED 镜前灯, 与镜面形成一体, 美观实用;  
 镜面轻触控制开关, 人性化设计, 使用方便;  
 采用环保银镜, 高清晰度镜面健康环保;  
 With LED mirror headlights, with the mirror to form one, beautiful and practical;  
 Mirror touch control switch, user-friendly design, easy to use;  
 Green silver mirror, high-definition mirror health and environmental protection;  
 尺寸可定制 SIZE CAN BE CUSTOMIZED



**3033 0002**  
**Multifunctional bathroom mirror combination**  
**多功能浴室镜**

额定电压 (Voltage): 220V~50Hz  
 额定功率 (Rated power): 25W  
 材质 (Material): 304 不锈钢 +5mm 环保银镜  
 304 stainless steel+5 mm green mirror silver

带有 LED 镜前灯, 与镜面形成一体, 美观实用;  
 镜面除雾功能, 轻松除去镜面的水雾 (30 分钟除雾自动关闭设置);  
 室内温度显示, 更直观了解室内温度;  
 镜面轻触控制面板, 人性化设计, 使用方便;  
 采用环保银镜, 高清晰度镜面健康环保;  
 With LED mirror headlights, with the mirror to form one, beautiful and practical;  
 Mirror fogging function, easy to remove the mirror of the water mist (30 minutes defrost automatically shut down settings);  
 Indoor temperature display, more intuitive understanding of the indoor temperature;  
 Mirror touch control panel, user-friendly design, easy to use;  
 Green silver mirror, high-definition mirror health and environmental protection;  
 尺寸可定制 SIZE CAN BE CUSTOMIZED







### 3033 0032

#### Multifunctional bathroom mirror combination 多功能浴室镜


额定电压 (Voltage): 220V~50Hz

额定功率 (Rated power): 25W

材质 (Material): 304 不锈钢 +5mm 环保银镜

304 stainless steel +5 mm green mirror silver

带有 LED 镜前灯, 与镜面形成一体, 美观实用;  
镜面除雾功能, 轻松除去镜面的水雾 (30 分钟除雾自动关闭设置);  
室内温度显示, 更直观了解室内温度;  
镜面轻触控制面板, 人性化设计, 使用方便;  
采用环保银镜, 高清晰度镜面健康环保;  
With LED mirror headlights, with the mirror to form one, beautiful and practical;  
Mirror fogging function, easy to remove the mirror of the water mist (30 minutes defrost automatically shut down settings);  
Indoor temperature display, more intuitive understanding of the indoor temperature;  
Mirror touch control panel, user-friendly design, easy to use;  
Green silver mirror, high-definition mirror health and environmental protection;  
尺寸可定制 SIZE CAN BE CUSTOMIZED



### 3033 0022

#### Multifunctional bathroom mirror combination 多功能浴室镜


额定电压 (Voltage): 220V~50Hz

额定功率 (Rated power): 68W

材质 (Material): 铝合金 +5mm 环保银镜

Aluminum+5 mm green mirror silver

带有 LED 镜前灯, 与镜面形成一体, 美观实用;  
镜面除雾功能, 轻松除去镜面的水雾 (30 分钟除雾自动关闭设置);  
室内温度显示, 更直观了解室内温度;  
镜面轻触控制面板, 人性化设计, 使用方便;  
采用环保银镜, 高清晰度镜面健康环保;  
With LED mirror headlights, with the mirror to form one, beautiful and practical;  
Mirror fogging function, easy to remove the mirror of the water mist (30 minutes defrost automatically shut down settings);  
Indoor temperature display, more intuitive understanding of the indoor temperature;  
Mirror touch control panel, user-friendly design, easy to use;  
Green silver mirror, high-definition mirror health and environmental protection;  
尺寸可定制 SIZE CAN BE CUSTOMIZED



### 3033 0042

#### Multifunctional bathroom mirror combination 多功能浴室镜


额定电压 (Voltage): 220V~50Hz

额定功率 (Rated power): 68W

材质 (Material): 铝合金 +5mm 环保银镜

Aluminum+5 mm green mirror silver

带有 LED 镜前灯, 与镜面形成一体, 美观实用;  
镜面除雾功能, 轻松除去镜面的水雾 (30 分钟除雾自动关闭设置);  
室内温度显示, 更直观了解室内温度;  
镜面轻触控制面板, 人性化设计, 使用方便;  
采用环保银镜, 高清晰度镜面健康环保;  
With LED mirror headlights, with the mirror to form one, beautiful and practical;  
Mirror fogging function, easy to remove the mirror of the water mist (30 minutes defrost automatically shut down settings);  
Indoor temperature display, more intuitive understanding of the indoor temperature;  
Mirror touch control panel, user-friendly design, easy to use;  
Green silver mirror, high-definition mirror health and environmental protection;  
尺寸可定制 SIZE CAN BE CUSTOMIZED



# 智能感应式垃圾桶系列

SENSOR BIN

---



## 智能感应式垃圾桶

STAINLESS STEEL ANTI-FINGERPRINT TREATMENT

智能感应垃圾桶由电路芯片控制，由红外线检测装置和机械电子驱动系统组成。只要有物体接近感应区范围内，桶盖便会自动开启，物体或手离开感应区数秒后桶盖会自动关闭，不需要外接电源，靠电池供电，使用电耗低。

结合红外感应及微电脑组成的精美流线型外观感应翻盖设计，灵活方便，无需手动或脚踩，就能轻松丢垃圾。因此它方便卫生，性能可靠，可以有效预防接触性感染。

*Intelligent sensor trash from the circuit chip control, infrared detection devices and mechanical and electrical drive system. As long as there is an object close to the sensing area, the cover will open automatically. After the object or the hand leaves the sensing area for a few seconds, the cover will close automatically. No external power supply is needed. The battery is powered and the power consumption is low.*

*Combination of infrared sensing and microcomputer composed of exquisite streamlined appearance of the induction flip design, flexible and convenient, without manual or foot, you can easily litter. Therefore, it is convenient and sanitary, reliable performance, can effectively prevent contact infection.*



红外线感应、轻触式按钮双模式开盖、关盖  
Infrared sensor, touch button dual-mode open cover, closed cover



5 秒钟延时关盖功能  
5 seconds delay cover function



人性化挂扣设计，得心应手  
User-friendly hook design, handy



声音缓冲式合盖技术  
Sound buffer cover technology






**1102 0009SFS**  
**1102 0009DRC**  
**1102 0009IBC**  
**Sensor bin**  
**智能感应式垃圾桶**

额定电压 (Voltage): DC4X1.5V(LR6)  
 容量 (Capability): 9L

红外线感应、轻触式按钮双模式开盖、关盖技术  
 智能 5 秒钟延时及静音缓冲关盖功能；  
 人性化挂扣设计，特设独有的除味、防虫药丸箱  
 桶身采用防指纹不锈钢及多种色彩面板选择。

Infrared sensor, touch button dual-mode open and close cover technology  
 Intelligent 5 seconds delay and mute buffer cover function;  
 Hanging hook design, deodorant, pest control pill box  
 Barrel body with anti-fingerprint stainless steel and a variety of color panel options.




**1102 0012SFS**  
**1102 0012DRC**  
**1102 0012IBC**  
**Sensor bin**  
**智能感应式垃圾桶**

额定电压 (Voltage): DC4X1.5V(LR6)  
 容量 (Capability): 12L

红外线感应、轻触式按钮双模式开盖、关盖技术  
 智能 5 秒钟延时及静音缓冲关盖功能；  
 人性化挂扣设计，特设独有的除味、防虫药丸箱  
 桶身采用防指纹不锈钢及多种色彩面板选择。

Infrared sensor, touch button dual-mode open and close cover technology  
 Intelligent 5 seconds delay and mute buffer cover function;  
 Hanging hook design, deodorant, pest control pill box  
 Barrel body with anti-fingerprint stainless steel and a variety of color panel options.








**1102 0109SFS**  
**1102 0109DRC**  
**1102 0109IBC**  
**Sensor bin**  
**智能感应式垃圾桶**

额定电压 (Voltage): DC4X1.5V(LR6)  
 容量 (Capability): 9L


红外线感应、轻触式按钮双模式开盖、关盖技术;  
 智能 5 秒钟延时及静音缓冲关盖功能;  
 人性化挂扣设计, 特设独有的除味、防虫药丸箱;  
 桶身采用防指纹不锈钢及多种色彩面板选择;  
 独一无二的悬空金属支架设计更有效的防止细菌滋生。  
 Infrared sensor, touch button dual-mode open and close cover technology  
 Intelligent 5 seconds delay and mute buffer cover function;  
 Hanging hook design, deodorant, pest control pill box  
 Barrel body with anti-fingerprint stainless steel and a variety of color panel options.  
 Unique suspension metal bracket design more effective to prevent the growth of bacteria.



**1102 0112SFS**  
**1102 0112DRC**  
**1102 0112IBC**  
**Sensor bin**  
**智能感应式垃圾桶**

额定电压 (Voltage): DC4X1.5V(LR6)  
 容量 (Capability): 12L


红外线感应、轻触式按钮双模式开盖、关盖技术;  
 智能 5 秒钟延时及静音缓冲关盖功能;  
 人性化挂扣设计, 特设独有的除味、防虫药丸箱;  
 桶身采用防指纹不锈钢及多种色彩面板选择;  
 独一无二的悬空金属支架设计更有效的防止细菌滋生。  
 Infrared sensor, touch button dual-mode open and close cover technology  
 Intelligent 5 seconds delay and mute buffer cover function;  
 Hanging hook design, deodorant, pest control pill box  
 Barrel body with anti-fingerprint stainless steel and a variety of color panel options.  
 Unique suspension metal bracket design more effective to prevent the growth of bacteria.




# Products selection

*The details make it a masterpiece*







**CH1001 0106**  
Stainless steel multipurpose hand dryer unit  
不锈钢组合干手柜




**CH1001 0096**  
Paper towel dispenser  
不锈钢组合干手柜




**CH1001 0101**  
Paper towel dispenser  
不锈钢组合干手柜




**CH1001 0402**  
Paper towel dispenser  
不锈钢组合干手柜




**CH1001 0086**  
Paper towel dispenser  
不锈钢组合干手柜




**CH1001 0457**  
Paper towel dispenser  
不锈钢手纸箱




**CH1001 4086**  
Paper towel dispenser  
不锈钢手纸箱




**CH1001 0126**  
Paper towel dispenser  
不锈钢手纸盒




**CH1001 0075**  
Cabinet behind mirror  
不锈钢镜后手纸箱




**1001 0412**  
Double roll holder with shelf  
组合双纸架




**CH1001 0076**  
Paper towel dispenser  
不锈钢手纸箱




**1001 0466**  
Paper holder with cover  
不锈钢转筒式手纸盒




**2102 1110**  
Jet hand dryer  
喷射式干手器




**2102 1201**  
Hand dryer  
干手器




**2102 1401**  
Hand dryer  
干手器




**2102 1402**  
Hand dryer  
干手器




**2105 1208**  
Auto soap dispenser  
自动皂液器




**2105 1248**  
Touch soap dispenser  
手动皂液器




**2105 1258**  
Touch soap dispenser  
手动皂液器




**2105 1328(AC)**  
**2105 1228(DC)**  
Auto soap dispenser  
自动皂液器




**2105 1368( 出皂液型 AC)**  
**2105 1268( 出皂液型 DC)**  
Auto soap dispenser  
自动皂液器




**2106 1368( 出泡沫型 AC)**  
**2106 1268( 出泡沫型 DC)**  
Auto soap dispenser  
自动皂液器




**2105 1338( 出皂液型 AC)**  
**2105 1238( 出皂液型 DC)**  
Auto soap dispenser  
自动皂液器




**2106 1338( 出泡沫型 AC)**  
**2106 1238( 出泡沫型 DC)**  
Auto soap dispenser  
自动皂液器




**1003 0065**  
Touch soap dispenser  
手动皂液器




**1003 0066**  
Touch soap dispenser  
手动皂液器




**1003 0071**  
Touch soap dispenser  
手动皂液器




**1003 0072**  
Touch soap dispenser  
手动皂液器




**2104 1301**  
Auto sanitizer dispenser  
自动喷雾消毒器




**2104 1308(AC)**  
**2104 1208(DC)**  
Auto sanitizer dispenser  
自动喷雾消毒器




**2104 1238**  
Automatic perfume dispenser  
自动喷香器




**2104 1128**  
Automatic perfume dispenser  
自动喷香器




**2101 1103**  
Constant temperature hair dryer  
恒温干发器




**2101 1113**  
Hair dryer  
干发器




**2101 1128(有须刨插座)**  
Hair dryer  
干发器




**2101 1123(无须刨插座)**  
Hair dryer  
干发器



**2101 1138(有须刨插座)**  
Hair dryer  
美发器



**2101 1139(无须刨插座)**  
Hair dryer  
美发器




**2101 1133**  
Hair dryer  
美发器







**6300 1100TGB**  
304#SUS Over-top/Wall-hung  
wash basin  
不锈钢台上 / 挂墙面盆




**6300 1300TGB**  
304#SUS Semi-recessed basin  
不锈钢半嵌式面盆




**6300 1100RGB**  
304#SUS Over-top/Wall-hung  
wash basin  
不锈钢台上 / 挂墙面盆




**6300 1300RGB**  
304#SUS Semi-recessed basin  
不锈钢半嵌式面盆




**6300 1100NMB**  
304#SUS Over-top/Wall-hung  
wash basin  
不锈钢台上 / 挂墙面盆




**6300 1300NMB**  
304#SUS Semi-recessed basin  
不锈钢半嵌式面盆









**3033 0001**  
Multifunctional bathroom mirror  
combination  
多功能浴室镜




**3033 0011**  
Multifunctional bathroom mirror  
combination  
多功能浴室镜




**3033 0002**  
Multifunctional bathroom mirror  
combination  
多功能浴室镜



**3033 0032**  
Multifunctional bathroom mirror  
combination  
多功能浴室镜




**3033 0022**  
Multifunctional bathroom mirror  
combination  
多功能浴室镜




**3033 0042**  
Multifunctional bathroom mirror  
combination  
多功能浴室镜




**1102 0009SFS**  
Sensor bin  
智能感应式垃圾桶




**1102 0012SFS**  
Sensor bin  
智能感应式垃圾桶




**1102 0009DRC**  
Sensor bin  
智能感应式垃圾桶




**1102 0012DRC**  
Sensor bin  
智能感应式垃圾桶



**1102 0009IBC**  
Sensor bin  
智能感应式垃圾桶




**1102 0012IBC**  
Sensor bin  
智能感应式垃圾桶







**1102 0109SFS**  
Sensor bin  
智能感应式垃圾桶




**1102 0112SFS**  
Sensor bin  
智能感应式垃圾桶




**1102 0109DRC**  
Sensor bin  
智能感应式垃圾桶




**1102 0112DRC**  
Sensor bin  
智能感应式垃圾桶



**1102 0109IBC**  
Sensor bin  
智能感应式垃圾桶



**1102 0112IBC**  
Sensor bin  
智能感应式垃圾桶



## NOTES

All the pictures and information are just for your reference. Please kindly to know that actual products may slightly differ from the pictures of catalogue because of the printing effect. Meanwhile, we have the rights to make some modifications or improvements in the products without notify.

